

Accipiter minor.
The little Hawk.

ACCIPITER MINOR.

The Little Hawk.

THIS Bird weighs three ounces 16 penny weight. The Baſis of the upper Mandible is cover'd with a yellow Sear: the Iris of the Eye yellow; the Head lead-colour, with a large red ſpot on its Crown: round the back of his head, are ſeven black ſpots regularly placed: the Throat and Cheeks are white, with a tincture of red; the Back red, and marked with tranſverſe black lines: the Quill-feathers of the Wing dark-brown; the reſt of the Wing blue, marked, as on the Back, with black: the Tail red, except an inch of the end, which is black; the Breaſt and Belly of a blueiſh red; the Legs and Feet yellow.

THE Hen differs from the Cock, as follows: her whole Wing and Back is of the ſame colour as the Back of the Cock; the Tail of the Hen is marked, as on the Back, with tranſverſe black lines; her Breaſt has not that ſtain of red as in the Cock. They abide all the year in *Virginia* and *Carolina*, preying not only on ſmall birds, but Mice, Lizards, Beetles, *&c.*

Petit Epervier.

CET oiſeau peſe trois onces & ſeize deniers de poids. Il a la baſe de la mandibule ſuperieure couverte d'une peau jaune; l'iris de l'œil jaune, la tête coleur de plomb, avec une grande tache rouge ſur le ſommet, & il y a autour du derriere de ſa tête ſept taches noires placées avec ordre; la gorge & les deux cotés de la tête ſont blancs, avec une teinture de rouge; le dos rouge & marqué de rayes noires en travers; les longues plumes de l'aile ſont d'un brun foncé; le reſte de l'aile eſt bleu & marqué de noir comme le dos; la queüe eſt toute rouge à un pouce du bout près, qui eſt noir; la poitrine & le ventre ſont d'un rouge éclatant; les jambes & les piés ſont jaunes.

LA difference qu'il y a entre le mâle & la femelle, c'eſt que la femelle a toute l'aile & le dos de la même couleur que le dos du mâle: la queüe de la femelle eſt marquée de rayes noires en travers de même que le dos, & elle n'a pas à la poitrine cette tache rouge que l'on voit à celle du mâle. Ils demeurent toute l'année dans la Virginie & dans la Caroline, faiſant leur proye non ſeulement de petits oiſeaux, mais encore de Souris, de Lezards, d'Eſcarbots, &c.